

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Tsuneo **KONDO**, et al.

Serial No.: 10/582,472

Group No. 1793

Filed: February 8, 2007

Examiner: S.R. Kastler

For: POURED MOLTEN METAL QUANTITY CONTROL DEVICE

Attorney Docket No.: U 016340-0

Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

We draw the attention of the Examiner to the attached references (first page only for U.S. patent publications) which are also listed on the attached Form PTO-1449.

Respectfully submitted,

CLIFFORD J. MASS
LADAS & PARRY LLP
26 WEST 61ST STREET
NEW YORK, NEW YORK 10023
REG.NO. 30086 TEL.NO.(212)708-1890

CERTIFICATION UNDER 37 C.F.R. 1.8(a) and 1.10*

(When using Express Mail, the Express Mail label number is **mandatory**;
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

☐ deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.
37 C.F.R. 1.8(a)

☐ with sufficient postage as first class mail.

37 C.F.R. 1.10*

☐ as "Express Mail Post Office to Address"
Mailing Label No. _____ (mandatory)

TRANSMISSION

☐ transmitted by facsimile to the Patent and Trademark Office. to **(571)-273-8300**

EFS-WEB

☒ transmitted electronically

Date: February 20, 2009

Signature

CLIFFORD J. MASS
(type or print name of person certifying)

***WARNING:** Each paper or fee filed by "Express Mail" **must** have the number of the "Express Mail" mailing label placed thereon prior to mailing. 37 C.F.R. 1.10(b).
"Since the filing of correspondence under § 1.10 without the Express Mail mailing label thereon is an oversight that can be avoided by the exercise of reasonable care, requests for waiver of this requirement will **not** be granted on petition." Notice of Oct. 24, 1996, 60 Fed. Reg. 56,439, at 56,442.